

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	489	725/46.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:17
S4	129	S3 and download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:02
S5	198	S3 and custom\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:54
S6	0	S3 and enviromental near3 setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:55
S7	0	S3 and enviromental same setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:55
S8	0	S3 and enviromental	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:55
S9	0	S3 and enviroment\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:55
S10	0	S3 and enviromental near3 setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:55

S11	0	S3 and enviromental	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 14:56
S12	0	S3 and enviromente	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 14:56
S13	1	S3 and environment near4 setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 14:56
S14	1	S3 and environmental near4 setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 14:56
S15	111	S3 and settings	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:58
S16	111	S15 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:58
S17	31	S16 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:00
S18	0	S3 and download and favoit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:03

S19	0	S3 and download and favorit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:03
S20	50	S3 and download and favorit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:03
S21	22	S3 and personal near3 preference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:24
S22	166	725/47.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:43
S23	0	"725"/\$.ccls. and personal near3 preference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:43
S24	67	"725"/\$.ccls. and personal near3 preference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 15:43
S25	289	"725"/\$.ccls. and ((packet near3 stream) (data near3 stream) b(it near4 stream)) and (server near3 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:20
S26	164	"725"/\$.ccls. and ((packet near3 stream) (data near3 stream) (bit near4 stream)) and (server near3 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:22

S27	4	"725"/\$.ccls. and (4a same "930" same information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:24
S28	389	"725"/\$.ccls. and server near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:31
S29	0	S28 and fig near3 "28"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:25
S30	0	S28 and "fig." near3 "28"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:25
S31	27	fig near3 "28"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:25
S32	0	S28 and "FIG" near3 "28"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:26
S33	0	S28 and (FIG near3 """"28""")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:26
S34	21	upload near3 (data bit) near3 stream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:32

S35	2	download near3 request near3 (data bit) near3 stream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 14:41
S36	2	"5768539".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:10
S43	173	"725"/\$.ccls. and ipg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:00
S44	144	"725"/\$.ccls. and ipg and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:09
S45	46	"725"/\$.ccls. and ipg and server and favorites	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:13
S46	5	"725"/54.ccls. and ipg and server and favorites	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:14
S47	90	"725"/54.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:32
S48	6	("6160545" "5422674" "5982445").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:46

S50	61	shah.in. and nazaroff.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:37
S51	21	S50 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:04
S52	0	S50 and "725"/\$.ccls. and headend	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:04
S53	0	S50 and "725"/\$.ccls. and head near3 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:04
S54	90	725/54.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:39
S55	0	S54 and ((user (set near3 box)) near4 request) same (headend (head near3 end) server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:39
S56	44	725/54.ccls. and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:56
S57	467	"725"/\$.ccls. and request\$3 and favorit\$2 and manag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:57

S58	338	S57 and servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:57
S59	338	S57 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 11:57
S60	270	S59 and menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 13:54
S61	30	"725"/\$.ccls. and "348"/\$.ccls. and ((destination with address) same (source with address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:02
S62	0	"725"/\$.ccls. and "348"/\$.ccls. and ((destination with address) same (source with address) same transmitt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:02
S63	3	"725"/\$.ccls. and "348"/\$.ccls. and ((destination with address) same (source with address) same transmit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:05
S64	33	((destination with address) same (source with address) same transmit) and tv and head adj3 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 15:45
S65	0	29/22983 and browne	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:49

S68	12155	browne	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:51
S69	2352	browne.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:51
S70	189	S69 and "1992"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:51
S71	10	S70 and tv	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 14:54
S74	46	vod and ((data near3 stream) (packet near3 stream)) same (request) with (ID code number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:44
S75	48	alexander.in. and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:52
S76	17	"725"/\$.ccls. and ((data near3 access) same method) same (headend head near3 end)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:58
S77	932	"725"/\$.ccls. and vod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 16:58

S78	904	S77 and method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:17
S79	700	S78 and ((data near access) code id permission password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:19
S80	387	S79 and (flow near3 (chart diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:17
S82	700	S77 and (method) and ((data near access) code id permission password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:18
S83	126	S78 and (password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:43
S84	199	S78 and (PID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:46
S85	0	S78 and (personal near3 idea near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:47
S86	1	S78 and (personal near3 id near3 number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 17:47

S87	9	"348"/\$.ccls. and vod and id adj2 number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:56
S88	2	microsoft.as. and bucket and number and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:00
S89	148	data adj request same password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:02
S90	54	data adj request same password and video	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:05
S91	45	fijolek.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:06
S92	6	S91 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:06
S93	6	S92 and number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:20
S94	6885	"725"/\$.ccls. and head end same password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:21

S95	40	"725"/\$.ccls. and (head adj2 end headend) same password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:27
S96	11	"725"/\$.ccls. and (head adj2 end headend) same password and download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:27
S10 2	16	"725"/\$.ccls. and download with request with code	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:10
S10 3	10	"725"/\$.ccls. and (download with request) same ((data near2 stream) (bit near2 stream))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:14
S10 4	8	"725"/115.ccls. and (download with request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:15
S10 5	214	"725"/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:16
S10 6	98	"725"/115.ccls. and request with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:20
S10 7	28	"725"/115.ccls. and request with stream	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:25

S10 8	99	"725"/115.ccls. and data with (request ask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:25
S10 9	2383	"725"/\$.ccls. and data with (request ask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:09
S11 0	522	"725"/\$.ccls. and data with (request ask) and head near2 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:43
S11 3	0	"725"/\$.ccls. and registered near2 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:59
S11 4	235	"725"/\$.ccls. and registered near2 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:02
S11 5	0	"725"/\$.ccls. and (registered near2 user) same head near2 end	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:59
S11 6	48	hendricks.in. and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:03
S11 7	0	hendricks.in. and register and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:03

S11 8	0	hendricks.in. and signed near3 up and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:03
S11 9	0	hendricks.in. and sign near3 up and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:03
S12 0	337	"725"/\$.ccls. and (ID adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:11
S12 1	337	"725"/\$.ccls. and (id adj number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:11
S12 2	66	"725"/\$.ccls. and (id adj number) with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 17:17
S12 3	33	"725"/\$.ccls. and (id adj number) with register\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 13:46
S12 5	17	"725"/\$.ccls. and ((id adj number) with register\$2) and (television tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:16
S12 6	146	((id adj number) with register\$2) and (television tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:45

S12 7	9	S126 and (epg ipg program adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:37
S12 8	10	((user adj number) with register\$2) and (television tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:45
S12 9	71	((user subscriber viewer) adj number) with register\$2) and (television tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:50
S13 0	2	S129 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:47
S13 1	2	S129 and "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:47
S13 2	40	((user subscriber viewer) adj password) with register\$2) and (television tv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 14:56
S13 4	6	LaRocca.in. and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 16:26
S13 7	237	"725"/\$.ccls. and (epg ipg) with transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 12:57

S13 8	0	"725"/\$.ccls. and ((epg ipg) with (transmission trasnmitted) with (continuously constantly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 12:58
S13 9	3	"725"/\$.ccls. and ((epg ipg) with (transmission trasnmitted) same (continuously constantly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 13:05
S14 0	3	"348"/\$.ccls. and ((epg ipg) with (transmission trasnmitted) same (continuously constantly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 13:08
S14 1	3	"348"/\$.ccls. and ((epg ipg program adj guide) with (transmission trasnmitted) same (continuously constantly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 13:11
S14 2	4	"348"/\$.ccls. and ((epg ipg program adj guide) same (transmission trasnmitted) same (continuously constantly))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 13:14
S14 3	11	"348"/\$.ccls. and alexander and epg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 13:21
S14 4	2	"348"/\$.ccls. and reynolds and epg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 13:22
S14 5	4	"725"/\$.ccls. and reynolds and epg	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 14:55

S14 8	13	custom adj2 (ipg epq)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 15:39
S15 0	11873	"725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 11:53
S15 1	1566	S150 and (ipg epq)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 11:53
S15 2	898845	S151 and download transmit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 11:53
S15 3	941	S151 and (download transmit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 11:53
S15 4	553	S153 and set near2 box	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 13:14
S15 5	70088	"348"/\$.ccls. "725"/\$.ccls. and (remote near2 access) and ellis.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 13:14
S15 6	22	("348"/\$.ccls. "725"/\$.ccls.) and (remote near2 access) and ellis.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 13:16

S15 7	6	("348"/\$.ccls. "725"/\$.ccls.) and (remote near1 access) and ellis.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:14
S15 8	664	("348"/\$.ccls. "725"/\$.ccls.) and person near3 person	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:25
S15 9	33	S158 and (ipg epg (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 14:25
S16 0	54	("348"/\$.ccls. "725"/\$.ccls.) and ((ipg epg (program adj guide)) near2 download)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/19 15:32